# SYNTHESIS OF MODIS CALIBRATION

Presented by Nianzeng Che Swales & Associates, Inc.

(March 9, 1994)

## Data available from pre-launch calibration

- 1. Initial calibration algorithms provided by SBRC
- 2. Laboratory measurement characteristics and data
- 3. Ambient and T/V measurement data for on-board calibrators

### MODIS on-board & vicarious calibration sources

#### on-board calibrators

- . Solar diffuser and SDSM
- . SRCA (spectral, radiometric, and spatial)
- . Space view (zero radiance)
- . Blackbody at 285K or/and 315K

#### Vicarious calibartion methods

- . Aircraft radiance measurement
- . Ground reflectance-based calibration
- . Radiance-based measurement by lunar observation
- . Solar-radiation-based calibration
- . Oceanic ship and buoy measurement
- . Cross calibration with other on-board sensors

#### Image-derived calibration

- . Distriping in-band image by histogram equalization
- . Curve-fit to solar spectral curve for between-band normalization
- . Long-term radiometric stability monitoring by 10-100 sites on the earth
- . Earth night-viewing for space count bias check
- . Automated calibration-site-based radiometric rectification
- . MTF inversion
- . Correct radiometric errors introduced by stray- & ghost-light

## Radiometric calibration accuracy

# A multiple calibration approach assures high radiometric accuracy to the MODIS

## 1. VS/NIR/SWIR (claimed)

(1) Solar diffuser, SDSM, SRCA	±4.0%
(2) Aircraft radiance measurement	±4.0%
(3) Ground-based reflectance calibration	±3.5%
(4) Ground radiance-based calibration	±3.0%
(5) Solar-radiation-based calibration	±3.0%
(6) Radiance-based measurement by lunar observation	±3.0%
(7) Cross calibration with other satellite sensors	±3.5%
(assume $\pm 3.0\%$ ) (8) Oceanic ship and buoy measurement	
2. MWIR/LWIR	
(1) On-board blackbody, space view	±1.0%

## Calibration activation during MODIS in orbit

- 1. Evaluate the instrument stability in space environment.
- 2. The instrument output is compared to the pre-launch characteristics.
- 3. Data collected from on-board calibrators and vicarious calibration sources.
- 4. Produce calibration coefficients after giving weighted coefficient to each calibration source.
- 5. Calibration committee coordinates MODIS calibration.
- 6. Validation, diagnosis, and improvement of calibration performance.

